

## Driver Fatigue Monitor



**QH-DF30H**

## Key Features

- Driver Fatigue Monitor (DSM)+ADAS
- Smoking warning, Calling warning, Distraction warning, Yawning warning, Eye closing warning
- ADAS warning: Before the occurrence of danger, the equipment will give the FCW, LDW, PCW.
- Forward collision warning and lane departure warning in time to reduce the potential collision risk.
- Built-in GPS/BD module, 6 axis sensor, speaker, and wired microphone.
- Easy installation with a 3M sticker on the windscreen.
- Low MOQ from 1 to start.

**Tel:** 0086-755-88832758    **Fax:** 0086-755-61624570    **Website:** www.qohovisions.com  
**Email:** sales@qohocctv.com    **Skype:** qohocctv : qohovisions

**Factory Address:** 12/F,C area, HuiLongDa Industrial Park,Shiyan street,  
Baoan district,Shenzhen city, Guangdong province, China.





# Specification

Chipset	Dual-core ARM CortexA7	
ADAS	Road-facing camera, 1080P, Sony IMX 307 sensor, 54° view angel.	
DSM Video format Storage Communicate Built-in Built-in	Driver-facing camera with IR LED, 720P, 108° view angel.	4 channel 1080P video input (support external 4 channels extendable)
	H.265/H.264	AHD H.265 compression
	up to 256GB TF card.	1080P 120-degree front wide view camera
	Connectivity, LTE, multiband, WIFI in AP mode, 802.11a/b/g/n	1080P 130-degree cabin wide view camera
	Build in GPS/BD module	Time, channel name, company name, driver name, plate number, GPS position, speed, G-sensor (XYZ value)
	Build in 6 axis sensors	CV1 format
Built-in	Built-in speaker and wired microphone.	
I/O port	I/O port, 1*Micro USB2.0, 1* CAN, 1*RS232, 1*RJ45, 1*SOS,	
Serial Working voltage	2*turn light, 1*speed, 1*HDMI.	8-36V, lower consumption
	DC 9-42V	12V,10mA; When vehicle been crushed on standby mode, alarm information would be sent to manager's mobile phone and device would start recording in 10 seconds
Work temperature Size	-20°C~70°C	
	ADAS camera, 122.5mm*76mm*40.5mm; DMS camera, 106mm*39mm*101.5mm	
optional Chipset	BSD, Speaker MDVR	
	Dual-core ARM CortexA7	
ADAS DSM Video format Storage	Road-facing camera, 1080P, Sony IMX 307 sensor, 54° view angel.	Indicator flash: searching satellite; indicator on: successful positioning; indicator off: no working
	Driver-facing camera with IR LED, 720P, 108° view angel.	Indicator on: recording; indicator off: not recording
	H.265/H.264	Indicator on: AP mode connected; indicator flash: data communication
	up to 256GB TF card.	Works as a power indicator; device power on: orange light keep turning; device start recording: orange light on; press SOS button: orange light flash


Tel: 0086-755-88832758    Fax: 0086-755-61624570    Website: [www.qohovisions.com](http://www.qohovisions.com)  
 Email: [sales@qohocctv.com](mailto:sales@qohocctv.com)    Skype: qohocctv : qohovisions

**Factory Address:** 12/F,C area, HuiLongDa Industrial Park,Shiyan street, Baoan district,Shenzhen city, Guangdong province, China.





# Working Chart



**This Product can work with:**

4ch Dual Micro-SD card Car DVR	4ch 1080P single SD card MDVR	8ch 720P HDD Mobile DVR	4ch 1080P Dual SD card Mobile DVR
			

**Tel:** 0086-755-88832758    **Fax:** 0086-755-61624570    **Website:** www.qohovisions.com  
**Email:** sales@qohocctv.com    **Skype:** qohocctv : qohovisions

**Factory Address:** 12/F,C area, HuiLongDa Industrial Park,Shiyan street, Baoan district,Shenzhen city, Guangdong province, China.

