## Shenzhen QOHO Electronics Co., Ltd



#### Al Mobile DVR 8 Channels 1080P GPS 4G WIFI Mobile DVR



#### QH-MDVR8208H

### **Key Features**

support ADAS camera, AI face recognition camera, AHD, and IPC camera.

WIFI set MDVR menu, no need remote control;

Full mental housing design without outside screw;

Smart panel to lock on/off; high-end mainboard as upgraded level.

Connect acceleration sensor, temperature sensor, oil amount,

control panel and other peripherals through the preset interface;

With aviation connector, stable and reliable, using time longer;

Industrial level material, special interface for mobile DVR;

The latest technology of audio and video compression;

Support 8-CH 1080P/720P/960H/D1/HD1/CIF; 4CH audio& video.;

Support PTZ local and remote control;

Support max 2TB HDD/SSD and external 2TB HDD total 4TB HDD and 1 SD card;

Support USB interface, support firebox as a mirror;8~36V wide voltage,

extra support UPS supply power 1 hour. Extend function:4-CH 1080P HDD MDVR,8-CH 720P HDD MDVR.

Product size:199(W)mm x 76(H) x 190(L)mm

**Tel:** 0086-755-88832758 **Fax:** 0086-755-61624570 **Website:** www.qohovisions.com

**Email:** sales@gohocctv.com **Skype:** gohocctv : gohovisions

Factory Address: 12/F,C area, HuiLongDa Industrial Park,Shiyan street,

Baoan district, Shenzhen city, Guangdong province, China.





# **Specification**

Model	QH-MDVR8208H			
System	Language	English / Chinese/Hungary/others optional		
,	Operation Interface	Graphical menu operation interface (OSD menu)		
	Password security	Permissions setting of administrator & user		
Video	Video input	Support 8 channels CIF/HD1/D1/960H/720P/1080P A HD camera Video input		
		Support 8-CH1080P/720P AHD or 4- CH 960H analog mixing Video input		
	Video output	2 channels (IO cable extension, 1 in the 24pin connector)		
	Video display	A single picture, 1~4 pictures		
	Signal system	PAL / NTSC (PAL@100 frame 720P/sec; NTSC@120 frame 720P/sec)		
	Image compression	H.264 Main profile		
Audio	Audio input	8 channels		
	Audio output	1 channel (1 in the 24pin connector)		
	Record format	Synchronize ed video & audio recording		
Recording	Image resolution	CIF / HD1 / D1 / 960H / 720P/1080P optional		
& Storage	Video coding	ISO14496-10		
	Video bit rate	CIF: 1536Kbps ~ 128Kbps,		
		HD1/D1: 2048Kbps ~ 400Kbps,		
		960H: 2048Kbps ~ 400Kbps,		
		720P/1080P: 4096Kbps ~ 400Kbps		
		8 grades of image quality optional, Grade1 as best, G rade8 as lowest		
	Audio bit-rate	8k/bps		
	Storage	Up to 2TB HDD/SSD and 1 SD card for backup (at 3G/4G model option)		
Alarm	Alarm input	8 channels, alarm activated by low voltage (<		
		1V) or high voltage (>5V)		
	Alarm output	1 channel, 12V output		
Communication Por	RS485	RS485×2		
ts	RS232	RS232×2		
	RJ45 network	1 x RJ45		
	USB	2 x USB 2.0 ports, the front panel one to download video files & upgrade firmware; the back panel one is a mirror to backup recording, it can connect firebox.		

**Email:** sales@qohocctv.com **Skype:** qohocctv : qohovisions

Factory Address: 12/F,C area, HuiLongDa Industrial Park,Shiyan street,

Baoan district, Shenzhen city, Guangdong province, China.





Wireless Communi cation	3G	3G wireless transmission module, WCDMA, CDMA2000, TD-SCDMA system optional (optional), Compatible with GPRS, EDGE;	
	4G	Built-in 4G (TDD-LTE / FDD-LTE) module optional	
	Wi-Fi	Built-in Wi-Fi optional	
GPS	Built-in GPS module. Real-time geographic coordinates, speed information		
G-Sensor	Built-in G-Sensor		
Software	PC playback	Video files playback in PC with analysis of the vehicle status	
	CMSV6	Wireless real- time video & audio monitoring, GPS, alarms, etc.	

#### This Product can work with:

Road Safety Camera	7inch Quad Monitor	Driver Fatigue Monitor / ADAS camera	180-degree rear camera
	* Bill mer son son son		

**Email:** sales@qohocctv.com **Skype:** qohocctv : qohovisions

Factory Address: 12/F,C area, HuiLongDa Industrial Park,Shiyan street,

Baoan district, Shenzhen city, Guangdong province, China.

